

2015 Product Catalogue
Asia Pacific




DESIGN IS GLOBAL



shaw contract group®
commercial flooring

REGIONAL
MANUFACTURING
FROM THE GLOBAL
CARPET LEADER.



WARREN BUFFETT
Chairman and CEO
Berkshire Hathaway

SHAW INDUSTRIES: A
BERKSHIRE HATHAWAY
COMPANY SINCE 2001
Dominant market share, strong
management team and commitment to
innovation and quality led to Berkshire
Hathaway's 2001 acquisition of Shaw,
giving us financial strength unlike any
other company in the flooring industry.

Our new state of the art Nantong facility
represents a long-term investment in the
Asia-Pacific region, featuring new machinery
with the latest, industry-leading technology.
The plant is LEED Silver Certified and has
the annual capacity to produce millions of
metres of carpet tile; enough to cover the
distance from Beijing to London.



Nantong Manufacturing
Facility Lobby



WORLD'S LARGEST CARPET MANUFACTURER ■ WORLD'S LARGEST FIBRE PRODUCER ■ INDUSTRY'S LARGEST CARPET RECYCLER



Nantong Manufacturing Facility,
Nantong, China



“WE RECOGNISE THE
NATURAL WORLD
AS THE UNRIVALLED
MODEL FOR HUMAN
DESIGNS”

WILLIAM MCDONOUGH
Founding Principal, William McDonough + Partners
“Author of Cradle to Cradle: Remaking the Way We Make Things”

CONTENTS

globally consistent manufacturing	4
featured collections & products	
<i>space worx</i>	6
<i>color frame</i>	16
<i>view</i>	20
<i>collide</i>	34
<i>material matters</i>	44
<i>no rules</i>	56
<i>additional products</i>	70
<i>asia pacific quick ship</i>	82
sustainability	84
service map	88
contact information	89
index	90

GLOBALLY CONSISTENT MANUFACTURING



Nantong, China
Carpet Tile Plant



Cartersville U.S.A.
Carpet Tile Plant

REGIONAL MANUFACTURING, GLOBAL CONSISTENCY

Vertical Integration: by controlling every step of the process from raw material sourcing to carpet manufacturing and distribution, we guarantee quality and dependability.

Imported raw materials ensure globally consistent products that adhere to the same high quality standards worldwide, so whether manufactured in Asia or the United States, the highest standards apply – consistent in quality and design, guaranteed for life.

Lifetime warranties ensure superior quality and value.

PROFESSIONAL SERVICE, QUICK DELIVERY

Our professional sales team provides customers with a breadth of product options and flooring solutions.

Our independent technical support team rigidly controls quality and provides professional guidelines on carpet installation and maintenance.

Products deliver with speed and efficiency to Asia-Pacific, significantly reducing lead times to this region by up to six weeks or more.

Our extensive distribution network guarantees fast and reliable deliveries.



SPACE WORX

A PLACE FOR EVERYTHING AND EVERYTHING IN YOUR SPACE

The ergonomics of the workspace is limitless. A well-planned space should be accommodating, efficient and work to its full potential. Space Worx entices with functionality. It appeals with practicality. And it opens up the possibility for how you work the room. **design is limitless**

quick ship
asia pacific

primary tile + basic tile






collection: space worx | pattern: basic tile



product specifications

style number:	5T117
dye method:	100% solution dyed
fibre product:	solution q nylon
backing:	PVC-free ecoworx nt tile
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	440.8 g/m ² (13 oz/yd ²)
tufts:	35/10 cm (9/in)
gauge:	39.4/10 cm (1/10)
average density:	7.51 kilotex (4457 oz/yd ³)
coordinating products:	primary tile, surround tile, centric tile
warranty:	lifetime commercial limited

recommended installation methods



colours




style: 5T117 basic tile | colour: 17597 storm cloud








collection: space worx | pattern: primary tile



product specifications

style number:	5T119
dye method:	100% solution dyed
fibre product:	solution q nylon
backing:	PVC-free ecoworx nt tile
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	440.8 g/m ² (13 oz/yd ²)
tufts:	35/10 cm (9/in)
gauge:	39.4/10 cm (1/10)
average density:	7.51 kilotex (4875 oz/yd ³)
coordinating products:	basic tile, surround tile, centric tile
warranty:	lifetime commercial limited

recommended installation methods



colours



quick ship
asia pacific



style: 5T119 primary tile | colour: 17597 storm cloud





COLOR FRAME

design is curious

LET YOUR COLOUR RUN WILD

You have a vision in mind.
Now imagine, changing it at
will. Go monochromatic subtle
or make a progressive colour
statement. Experiment diverse
colour hues. You've got colour
carte blanche. And the ability
to let your creativity loose.



color frame tile + color form tile*


*Only Color Frame tile is available to ship from our Asia Pacific facility





style: 5T081 color frame tile | colour: 81557 disappear

colours




collection: color frame | pattern: color frame tile


product specifications

style number:	5T081
dye method:	100% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	38/10 cm (10/in)
gauge:	47.2/10 cm (1/12)
average density:	10.04 kilotex (7200 oz/yd ³)
warranty:	lifetime commercial limited

recommended installation methods



colours (continued)





POINT OF VIEW

scape tile + field tile + reverse tile

FORM A NEW POINT OF VIEW

Positive and negative spaces take organic shape. Bold, energetic lines form optical texture.

DESIGN IS PERCEPTION





style: 5T071 direction tile | colour: 69505 zone

collection: view | pattern: direction tile


səjnə ou collection




product specifications

style number:	5T071
dye method:	100% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	508.6 g/m ² (15 oz/yd ²)
tufts:	37/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	8.87 kilotex (5047 oz/yd ³)
coordinating products:	shape tile, reverse tile, realm tile, field tile, scape tile
warranty:	lifetime commercial limited

recommended installation methods



colours






collection: view | pattern: field tile




product specifications

style number:	5T079
dye method:	100% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	576.40 g/m ² (17 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	10.17 kilotex (5464 oz/yd ³)
coordinating products:	reverse tile, shape tile, direction tile, realm tile, scape tile
warranty:	lifetime commercial limited

recommended installation methods



colours




style: 5T079 field tile | colour: 78111 sight






collection: view | pattern: realm tile




product specifications

style number:	5T078
dye method:	100% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m ² (16 oz/yd ²)
tufts:	31.5/10 cm (8/in)
gauge:	47.2/10 cm (1/12)
average density:	8.79 kilotex (4721 oz/yd ³)
coordinating products:	reverse tile, shape tile, direction tile, field tile, scape tile
warranty:	lifetime commercial limited

recommended installation methods



colours



quick ship
asia pacific



style: 5T078 realm tile | colour: 78111 sight







product specifications

style number:	5T069
dye method:	100% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	508.6 g/m ² (15 oz/yd ²)
tufts:	37/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	8.70 kilotex (5684 oz/yd ³)
coordinating products:	shape tile, direction tile, realm tile, field tile, scape tile
warranty:	lifetime commercial limited

recommended installation methods



colours



quick ship
asia pacific






collection: view | pattern: scape tile



product specifications

style number:	5T080
dye method:	100% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m ² (16 oz/yd ²)
tufts:	31.5/10 cm (8/in)
gauge:	47.2/10 cm (1/12)
average density:	8.79 kilotex (4271 oz/yd ³)
coordinating products:	reverse tile, shape tile, direction tile, realm tile, field tile
warranty:	lifetime commercial limited

recommended installation methods



colours



quick ship
asia pacific



style: 5T080 scape tile | colour: 78111 sight






product specifications

style number:	5T070
dye method:	100% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	508.6 g/m ² (15 oz/yd ²)
tufts:	37/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	8.88 kilotex (5192 oz/yd ³)
coordinating products:	direction tile, reverse tile, realm tile, field tile, scape tile
warranty:	lifetime commercial limited

recommended installation methods



colours



quick ship
asia pacific



style: 5T070 shape tile | colour: 69505 zone



COLLIDE

18X36
DESIGN IS RADICAL



FORCEFUL CONNECTION

Nature strikes. Fractured earth, molten movement, energy unbound. Collide clashes pattern and colour, tension and release. Four sustainable tile styles liberated upon impact. It's a seismic collection unleashed.



unleash tile + still tile






collection: collide | pattern: ignite tile




product specifications

style number:	5T049
dye method:	87% solution dyed & 13% yarn dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	45.72 cm x 91.44 cm (18" x 36")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	39.4/10 cm (10/in)
gauge:	47.2/10 cm (1/12)
average density:	11.49 kilotex (6171oz/yd ³)
coordinating products:	melt tile, unleash tile, still tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 5T049 ignite tile | colour: 48750 molten






collection: collide | pattern: melt tile




product specifications

style number:	5T048
dye method:	87% solution dyed & 13% yarn dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	45.72 cm x 91.44 cm (18" x 36")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	10.87 kilotex (5838 oz/yd ³)
coordinating products:	ignite tile, unleash tile, still tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 5T048 melt tile | colour: 48530 ash






collection: collide | pattern: still tile




product specifications

style number:	5T051
dye method:	87% solution dyed & 13% yarn dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	45.72 cm x 91.44 cm (18" x 36")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	10.49 kilotex (5635 oz/yd ³)
coordinating products:	melt tile, ignite tile, unleash tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 5T051 still tile | colour: 48530 ash






collection: collide | pattern: unleash tile




product specifications

style number:	5T050
dye method:	87% solution dyed & 13% yarn dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	45.72 cm x 91.44 cm (18" x 36")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	10.49 kilotex (5635 oz/yd ³)
coordinating products:	melt tile, ignite tile, still tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 5T050 unleash tile | colour: 48111 shatter



MATERIAL MATTERS

DESIGN IS MATERIAL



wander tile



embark tile



fringe tile + wander tile + embark tile



fringe tile



haze tile




vapor tile






collection: material matters | pattern: embark tile




product specifications

style number:	5T040
dye method:	98% solution & 2% yarn dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	576.4 g/m ² (17 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	9.46 kilotex (5829 oz/yd ³)
coordinating products:	fringe tile, haze tile, vapor tile, wander tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 5T040 embark tile | colour: 37530 airy






collection: material matters | pattern: fringe tile




product specifications

style number:	5T038
dye method:	98% yarn dyed & 2% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	45.72 cm x 91.44 cm (18" x 36")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	37/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	12.07 kilotex (6480 oz/yd ³)
coordinating products:	embark tile, vapor tile, haze tile, wander tile
warranty:	lifetime commercial limited

recommended installation methods




colours



style: 5T038 fringe tile | colour: 37557 smoke






product specifications

style number:	5T037
dye method:	98% yarn dyed & 2% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	45.72 cm x 91.44 cm (18" x 36")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	39.4/10 cm (10/in)
gauge:	47.2/10 cm (1/12)
average density:	12.31 kilotex (6612 oz/yd ³)
coordinating products:	embark tile, vapor tile, fringe tile, wander tile
warranty:	lifetime commercial limited

recommended installation methods




colours





style: 5T036 vapor tile | colour: 37557 smoke


collection: material matters | pattern: vapor tile




product specifications

style number:	5T036
dye method:	98% yarn dyed & 2% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	45.72 cm x 91.44 cm (18" x 36")
face weight:	610.3 g/m ² (18 oz/yd ²)
tufts:	37/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	9.88 kilotex (6480 oz/yd ³)
coordinating products:	embark tile, fringe tile, haze tile, wander tile
warranty:	lifetime commercial limited


recommended installation methods




monolithic




basketweave




herringbone



boxed in



brick



half basketweave

colours



whisper
37111



lustrous
37170



poetic
37320



dreamy
37481



stardust
37496




myth
37505



delicate
37515



airy
37530



smoke
37557



linger
37750



notion
37760




shadow
37761






collection: material matters | pattern: wander tile




product specifications

style number:	5T039
dye method:	98% yarn dyed & 2% solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	576.4 g/m ² (17 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	9.35 kilotex (6000 oz/yd ³)
coordinating products:	embark tile, fringe tile, haze tile, vapor tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 5T039 wander tile | colour: 37530 airy



no rules

no rules | view




diffuse tile




disperse tile



infinite tile



vast tile



tempt tile



tangle tile

REBEL COLLECTIONS

The rules say you have to put down your carpet in a certain pattern. **No Rules begs to differ.** These cradle to cradle collections are designed to let you mix dye lots imperceptibly and install tiles randomly. So lose the attic stock, and express your rebel view. Design is unbound.



Be random. Install your tiles in any configuration you choose.

Mix dye lots—undetected. Unique colour patterning, layered textures and smart gradations let you blend dye lots imperceptibly.

Order replacement tiles as you need them. No need for attic stock. Mergeable dye lots allow selective replacement.

Take a sustainable stance.



This rule-breaking carpet is *Cradle-to-Cradle Silver* certified by McDonough Braungart Design Chemistry.

Look great. Do right by the world.

All carpet is backed by limited lifetime warranties against staining, wear and backing integrity. And because No Rules is an EcoWorx® product, at the end of its useful life, we'll pick it up and recycle it at no cost to you—that's the Shaw Environmental Guarantee.

it's time to break the rules





collection: no rules | pattern: diffuse tile


səɪn.ɔu collection




product specifications

style number:	59575
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m ² (16 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.24/10 cm (1/12)
average density:	11.66 kilotex (6261 oz/yd ³)
coordinating products:	disperse tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 59575 diffuse tile | colour: 75761 flutter





collection: no rules | pattern: disperse tile


səɪn.ə ou collection




product specifications

style number:	59576
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m² (16 oz/yd²)
tufts:	35.4/10 cm (9/in)
gauge:	47.24/10 cm (1/12)
average density:	11.41 kilotex (6128 oz/yd³)
coordinating products:	diffuse tile
warranty:	lifetime commercial limited

recommended installation methods



colours




style: 59576 disperse tile | colour: 75481 movement





collection: no rules | pattern: infinite tile


səɪnɹ ou collection




product specifications

style number:	5T010
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m ² (16 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.24/10 cm (1/12)
average density:	11.41 kilotex (6128 oz/yd ³)
coordinating products:	vast tile
warranty:	lifetime commercial limited

recommended installation methods



colours




style: 5T010 infinite tile | colour: 09585 immense





collection: no rules | pattern: vast tile


səɪn.ə ou collection




product specifications

style number:	5T009
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m ² (16 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.24/10 cm (1/12)
average density:	11.41 kilotex (6128oz/yd ³)
coordinating products:	infinite tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 5T009 vast tile | colour: 09505 encompass







product specifications


style number:	5T018
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m ² (16 oz/yd ²)
tufts:	33.4/10 cm (8.5/in)
gauge:	47.24/10 cm (1/12)
average density:	9.41 kilotex (5053 oz/yd ³)
coordinating products:	tempt tile
warranty:	lifetime commercial limited

recommended installation methods



colours







product specifications

style number:	5T019
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	542.49 g/m ² (16 oz/yd ²)
tufts:	35.4/10 cm (9/in)
gauge:	47.2/10 cm (1/12)
average density:	9.17 kilotex (4923 oz/yd ³)
coordinating products:	tangle tile
warranty:	lifetime commercial limited

recommended installation methods



colours






catalyst tile



catalyst tile



clear tile




glaze tile

MORE TO LOVE
Introducing some of our favourite products from existing lines ... modern, refined, and timeless. Dependable designs that perform in any space.



transparent tile



hybrid tile






collection: clearview | pattern: clear tile


product specifications

style number:	59564
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	508.6 g/m ² (15 oz/yd ²)
tufts:	31.5/10 cm (8/in)
gauge:	47.24/10 (1/12)
average density:	8.38 kilotex (4500 oz/yd ³)
coordinating products:	glaze tile, transparent tile
warranty:	lifetime commercial limited


recommended installation methods



monolithic



quarter turn




random

colours



porcelain
62103




blue moon
62486




moonstone
62500




oxide
62505



sea glass
62560



earthenware
62750




pottery
62755



style: 59564 clear tile | colour: 62103 porcelain






collection: clearview | pattern: glaze tile




product specifications

style number:	59562
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	508.6 g/m ² (15 oz/yd ²)
tufts:	31.5/10 cm (8/in)
gauge:	47.24/10 (1/12)
average density:	8.38 kilotex (4500 oz/yd ³)
coordinating products:	clear tile, transparent tile
warranty:	lifetime commercial limited


recommended installation methods



monolithic



quarter turn




random


colours




porcelain
62103




blue moon
62486



moonstone
62500




oxide
62505



sea glass
62560



earthenware
62750



pottery
62755



style: 59562 glaze tile | colour: 62103 porcelain





style: 59563 transparent tile | colour: 62103 porcelain


collection: clearview | pattern: transparent tile




product specifications

style number:	59563
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	508.39 g/m ² (15 oz/yd ²)
tufts:	31.5/10 cm (8/in)
gauge:	47.2/10 cm (1/12)
average density:	8.38 kilotex (4500 oz/yd ³)
coordinating products:	clear tile, glaze tile
warranty:	lifetime commercial limited


recommended installation methods



monolithic



quarter turn



random

colours



porcelain
62103



blue moon
62486



moonstone
62500



oxide
62505



sea glass
62560



earthenware
62750



pottery
62755






collection: mix | pattern: catalyst tile




product specifications

style number:	59579
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	576.40 g/m ² (17 oz/yd ²)
tufts:	35.43/10 (9/in)
gauge:	47.24/10 (1/12)
average density:	9.42 kilotex (5058 oz/yd ³)
coordinating products:	hybrid tile
warranty:	lifetime commercial limited

recommended installation methods



colours



style: 59579 catalyst tile | colour: 64755 marble





style: 59580 hybrid tile | colour: 64755 marble


collection: mix | pattern: hybrid tile




product specifications

style number:	59580
dye method:	solution dyed
fibre product:	eco solution q
backing:	PVC-free ecoworx
size:	60.96 cm x 60.96 cm (24" x 24")
face weight:	576.40 g/m ² (17 oz/yd ²)
tufts:	35.43/10 (9/in)
gauge:	47.24/10 (1/12)
average density:	9.42 kilotex (5058 oz/yd ³)
coordinating products:	catalyst tile
warranty:	lifetime commercial limited

recommended installation methods



colours



QUICK SHIP

quick ship
asia pacific

LOOK BETTER, QUICKER

Eyeing a tight schedule? Let us help. Shaw Contract Group has chosen 34 of its newly designed carpet tile solutions to help meet your expedited project needs with our Asia Pacific Quick Ship Program.

See the benefits:


- Orders up to 2,000 square metres per SKU ready to ship within just two weeks from our state-of-the-art manufacturing facility located in Nantong, China
- Choose from a varied selection of linear and non-directional patterns for maximum flexibility
- Complementary, tonal colours most often demanded for fast-track projects at your finger tips



shape tile 5T070



outlook
69557



gaze
69530




distance
69597




space
69500




reverse tile 5T069




outlook
69557



gaze
69530



distance
69597



space
69500




realm tile 5T078




space
78500



domain
78502



gaze
78530



distance
78597




scape tile 5T080




space
78500



domain
78502



gaze
78530




distance
78597




primary tile 5T119




khaki
17761




limestone
17530



slate
17760




brown bark
17500




dove grey
17557




blue herring
17481




storm cloud
17597



raven
17505




denim
17496




surround tile 5T120




khaki
17761




limestone
17530



slate
17760




brown bark
17500



dove grey
17557




blue herring
17481



storm cloud
17597



raven
17505



denim
17496

quickship products



DESIGN IS SUSTAINABLE



partner company
WORLD GREEN
BUILDING COUNCIL



Shaw's Nantong plant is Asia's first manufacturing facility to produce safe, *Cradle to Cradle Certified™* carpet. Expertly assessed and evaluated, Cradle to Cradle certification is based upon renewable energy, clean water, material health, social responsibility and material reutilisation. The goal is that every material, manufacturing process, and emission is designed to feed another process and eliminate waste.



All EcoWorx products manufactured in Nantong are *Cradle to Cradle Certified™* Silver and contribute to the LEED rating system. As one component among a list of building materials, Shaw Contract Group sustainable carpet products contribute to several LEED v4 credits including:

- Environmental Product Declarations
- Sourcing of raw materials
- Material ingredients
- Construction and demolition waste management
- Low emitting materials

Contribution to LEED credits through the use of Shaw Contract Group product is achieved through Cradle to Cradle Silver certification, NSF-140 certification, recycled content and recyclability.



Developed by the United States Green Building Council (USGBC), the LEED Rating System is the definitive standard for green building, providing guidelines for designing and building environmentally responsible structures. While no single product can be considered LEED certified, our carpet is additive to the pursuit of LEED v4 certification for your project.



GUARANTEED RECLAMATION

FROM THE WORLD'S LARGEST CARPET RECYCLER

GLOBAL CERTIFICATIONS & STANDARDS



LokDots™

YOUR EFFICIENT INSTALLATION PARTNER

LokDots pressure-sensitive adhesive for EcoWorx carpet tile, a *Cradle to Cradle Certified*™ installation system, is non-toxic and odourless, virtually eliminating the issue of Volatile Organic Compounds (VOCs), and providing ease and versatility of installation. Compared to traditional wet adhesive, LokDots weighs 97% less reducing carbon footprint.

eco✱worx®

HIGH-PERFORMANCE, PVC-FREE

A high-performance backing system for tile, broadloom and performance broadloom. 100% PVC and Bitumen-free, and closed loop recyclable—meaning zero waste. Lighter and more flexible than traditional backing means easy installation and more fuel efficient shipping. At the end of its useful life, we will pick up any EcoWorx product and recycle it into new product. 4,200 square metres or greater from any international port.

eco✱solution Q®

A PREMIUM FIBRE THAT'S COMPLETELY RECYCLABLE

Our premium branded nylon utilises more than 18,000 metric tonnes of recycled content annually. Eco Solution Q uses 40% less energy than fibre made exclusively with virgin materials.

OUR ENVIRONMENTAL GUARANTEE

When any EcoWorx-backed product has reached the end of its useful life, Shaw will collect and recycle it back into more EcoWorx – from anywhere around the world.

Our Global Guarantee states that Shaw Contract Group will take back 4,000 square metres or greater of EcoWorx material from any international port at NO COST to you. Reclamation can be scheduled by contacting your local Shaw account manager.





KEY

- Showroom Locations
- Local Service Providers
- ★ Regional Office
- ▲ Manufacturing Facility

regional showroom & office locations

Bangalore

Level 14, Concorde Tower
UB City, 1 Vittal Mallya Road
Bangalore 560001
India
Tel: +9180 6759 0334 x 0335
Fax: +9180 6759 0400

Beijing

Unit 1102, West Tower, LG Twin Towers
B12 Jianwai Street, Chaoyang District
Beijing 100022
China
Tel: +86 10 6568 5881
Fax: +86 10 6568 5795

Hong Kong

Unit 801, Tai Tung Building
No. 8, Fleming Road
Wan Chi
Hong Kong
Tel: +852 2623 0371
Fax: +852 2623 0376

Melbourne

3 Rocklea Drive, Suite 13
Port Melbourne, Victoria 3207
Australia
Tel: +61 3 90084400

Nantong

60 Qiyun Road
Sutong Science and Technology Industrial Park
Nantong, Jiangsu Province
2226017 China
Tel: +86 400 800 7429
Fax: +86 10 6568 5795

Shanghai

Room 1004, Manpo International Plaza
No. 500 West Yan'an Road
Shanghai 200052
P.R. China
Tel: +86 21 5258 9799
Fax: +86 21 5258 9798

Singapore

No. 1, Kim Seng Promenade
#15-12, Great World City West Tower
Singapore 237994
Republic of Singapore
Tel: +65 6733 1811
Fax: +65 6836 6075

Sydney

2 Point Street, Suite 101
Pyrmont NSW 2009
Australia
Tel: +61 3 90084400

Corporate Headquarters Shaw Industries Inc. PO Box 2128, 616 E. Walnut Ave, Dalton, GA 30722-2128, USA.



collections

Clearview
clear tile 72-73
glaze tile 74-75
transparent tile 76-77

Collide
ignite tile 36-37
melt tile 38-39
still tile 40-41
unleash tile 42-43

Color Frame
color frame tile 18-19

Material Matters
embark tile 46-47
fringe tile 48-49
haze tile 50-51
vapor tile 52-53
wander tile 54-55

Mix
catalyst tile 78-79
hybrid tile 80-81

No Rules
diffuse tile 58-59
disperse tile 60-61
infinite tile 62-63
tangle tile 66-67
tempt tile 68-69
vast tile 64-65

Space Worx
basic tile 8-9
centric tile 10-11
primary tile 12-13
surround tile 14-15

View
direction tile 22-23
field tile 24-25
realm tile 26-27
reverse tile 28-29
scape tile 30-31
shape tile 32-33

styles

basic tile 8-9
catalyst tile 78-79
centric tile 10-11
clear tile 72-73
color frame tile 18-19
diffuse tile 58-59
direction tile 22-23
disperse tile 60-61
embark tile 46-47
field tile 24-25
fringe tile 48-49
glaze tile 74-75
haze tile 50-51
hybrid tile 80-81
ignite tile 36-37
infinite tile 62-63
melt tile 38-39
primary tile 12-13
realm tile 26-27
reverse tile 28-29
scape tile 30-31
shape tile 32-33
still tile 40-41
surround tile 14-15
tangle tile 66-67
tempt tile 68-69
transparent tile 76-77
unleash tile 42-43
vapor tile 52-53
vast tile 64-65
wander tile 54-55





shaw contract group®
commercial flooring